

SHEET 1


fa future automation

MARINE INDOOR CEILING HINGE RANGE WITH SWIVEL AND DROP DOWN PANEL


SPECIFICATION	MEASUREMENTS
Product Dimensions	2224mm [87 9/16"] W x 1562mm [61 1/2 "] L x 312mm [12 5/16"] D
Product Weight	285Kg [628lb]
Maximum Screen Size (≤70mm D)	1730mm [68 1/8 "] W x 970mm [38 3/16"] L x 70mm [2 3/4 "] D
Maximum Screen Size (>70mm D)	1730mm [68 1/8 "] W x 940mm [37 "] L x 120mm [4 3/4 "] D
Maximum Weight Capacity	150Kg [331lb] Max Inc 30Kg [66lb] Max. Addon Ceiling Panel Main Hinge & 10Kg [22lb] Max. Addon Ceiling Panel Swivel Back Tray - Drop Down Panel Max Weight Capacity - 10Kg [22lbs] *Assuming Screen Weight Biased Low (3/4 Screen Height)
Packaging Dimensions	2270mm [89 3/8 "] W x 1720mm [67 11/16"] L x 550mm [21 5/8 "] D
Shipping Weight	429Kg [947lb]
Maximum Rotation	90° on Hinge 180° CW and CCW on Swivel
Movement Type	Motorised
Control System	Housed internally - Accessible through internal access hatch.
Power Supply Required	110V - 240V AC 50-60hz
Power Consumption Max.	720W
Power Consumption Standby	3W
Mounting Patterns Supported	VESA 400, 300, 200 W x 400, 300, 200 H
Control Options	IR Remote, RS232, Contact Closure
Product Options / Features	Specific B&O and Loewe mounts / adapters, Custom RAL paint finishes, Marine suitable version
Package Contents	Mechanism, IR remote control
Environment	Marine Indoor
Colour	WHITE - RAL9910 Satin Finish
Marine Suitable	Yes - Marine Locks for seucre stowing when not in use


MARINE INDOOR CEILING HINGE RANGE WITH SWIVEL AND DROP DOWN PANEL

MECHANISM MOUNTING DETAILS









TECHNICAL SHEET

ISSUE 004 SHEET 3

future automation

7 1/16" 180

[1 13/16"]


[17 7/16"]

444

• \ 6 🗆 🗖 •

MARINE INDOOR CEILING HINGE RANGE WITH SWIVEL AND DROP DOWN PANEL


CEILING PREPARATION



Mechanism Power and Control Cables. Screen power and Signal


Cables for the screen can be routed in from both sides, allowing for power and signal cables to be separated when entering the mechanism.

The opening on both sides is MIN. 32mm [1.3"] in diameter allowing for multiple cables to be routed to the screen.



Cables pass through easily removable cable gland plates into mechanism.

Additional glands to suit different cable sizes are available on request.




UK +44 (0) 1438 833577 **US** +1 (603) 742 9181


WWW.FUTUREAUTOMATION.NET

MARINE INDOOR CEILING HINGE RANGE WITH SWIVEL AND DROP DOWN PANEL

CEILING DETAILS







Ensure all panel work is the same thickness.


Weight of all addon panel work must be included in maximum mechanism lifting capacity.


future automation

SHEET 6

MARINE INDOOR CEILING HINGE RANGE WITH SWIVEL AND DROP DOWN PANEL


MECHANISM DIMENSIONS - CLOSED





FIXING DETAIL


Mechanism mounted on M12 [0.5] Studding or fixed to underside of the ceiling joist structure, both using the mounting brackets installed on mechanism as standard



UK +44 (0) 1438 833577 **US** +1 (603) 742 9181 WWW.FUTUREAUTOMATION.NET

fa future automation

MARINE INDOOR CEILING HINGE RANGE WITH SWIVEL AND DROP DOWN PANEL



fa future automation

MARINE INDOOR CEILING HINGE RANGE WITH SWIVEL AND DROP DOWN PANEL

DROP DOWN PANEL DETAILS

